



PROPOSAL SUBMITTED BY		
Contractor's Name		
Street		P.O. Box
City	State	Zip Code

STATE OF ILLINOIS

COUNTY OF Schuyler
Schuyler County ETSB
(Name of City, Village, Town or Road District)

FOR THE IMPROVEMENT OF

STREET NAME OR ROUTE NO. Various
SECTION NO. 911 Signs
TYPES OF FUNDS Schuyler County ETSB Funds

- MATERIAL PROPOSAL DELIVER & INSTALL PROPOSAL
 SPECIFICATIONS (required) PLANS (if applicable)

For Municipal Projects
Submitted/Approved/Passed

Mayor President of Board of Trustees Municipal Official

Date

Department of Transportation

Released for bid based on limited review

Regional Engineer

Date

For County and Road District Projects
Submitted/Approved

Highway Commissioner

Date

Submitted/Approved

County Engineer/Superintendent of Highways

Date

Note: All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed.

RETURN WITH BID

NOTICE TO BIDDERS

County Schuyler
Local Public Agency Schuyler County ETSB
Section Number 911 Signs
Route Various

Sealed proposals for the furnishing or delivering & installing materials required in the construction/maintenance of the above Section will be received and at that time publicly opened and read at the office of Schuyler County Engineer,

121 Henninger Drive, Rushville, IL 62681

Address

until 10:30 a.m.

Time

on August 20, 2015

Date

- 1. Plans and proposal forms will be available in the office of Schuyler County Engineer
2. Prequalification. If checked, the 2 low bidders must file within 24 hours after the letting an "Affidavit of Availability" (Form BC 57), in duplicate, showing all uncompleted contracts awarded to them and all low bids pending award for Federal, State, County, Municipal and private work.
3. The Awarding Authority reserves the right to waive technicalities and to reject any or all proposals as provided in BLRS Special Provision for Bidding Requirements and Conditions for Material Proposals.
4. A proposal guaranty in the proper amount, as specified in BLRS Special Provision for Bidding Requirements and Conditions for Material Proposals, will be required. Bid Bonds Shall be allowed as a proposal guaranty.
5. The successful bidder at the time of execution of the contract Shall be required to deposit a contract bond for the full amount of the award. When a contract bond is not required, the proposal guaranty check will be held in lieu thereof. Failure on the part of the contractor to deliver the material within the time specified or to do the work specified herein will be considered just cause to forfeit his surety as provided in Article 108.10 of the Standard Specifications.
6. Proposals shall be submitted on forms furnished by the Awarding Authority and shall be enclosed in an envelope endorsed "Material Proposal, Section 911 Signs".

By Order of Schuyler County ETSB (Awarding Authority) 7-29-15 Date County Engineer (County Engineer/Superintendent of Highways/Municipal Clerk)

Material Proposal or Deliver & Install Proposal

To Schuyler County ETSB (Awarding Authority)

If this bid is accepted within 45 days from date of opening, the undersigned agrees to furnish or to deliver & install any or all of the materials, at the quoted unit prices, subject to the following:

- 1. It is understood and agreed that the "Standard Specifications for Road and Bridge Construction", adopted January 1, 2012, and the "Supplemental Specifications and Recurring Special Provisions", adopted January 1, 2015, prepared by the Department of Transportation, shall govern insofar as they may be applied and insofar as they do not conflict with the special provisions and supplemental specifications attached hereto.
2. It is understood that quantities listed are approximate only and that they may be increased or decreased as may be needed to properly complete the improvement within its present limits or extensions thereto, at the unit price stated and that bids will be compared on the basis of the total price bid for each group.
3. Delivery in total or partial shipments as ordered shall be made within the time specified in the special provisions or by the acceptance at the point and in the manner specified in the "Schedule of Prices". If delivery on the job site is specified, it shall mean any place or places on the road designated by the awarding authority or its authorized representative.
4. The contractor and/or local agency performing the actual material placement operations shall be responsible for providing work zone traffic control, unless otherwise specified in this proposal. Such devices shall meet the requirements of and be installed in accordance with applicable provisions of the "Illinois Manual on Uniform Traffic Control Devices" and any referenced Illinois Highway Standards.
5. Each pay item should have a unit price and a total price. If no total price is shown or if there is a discrepancy between the product of the unit price multiplied by the quantity, the unit price shall govern. If a unit price is omitted, the total price will be divided by the quantity in order to establish a unit price. A bid will be declared unacceptable if neither a unit price nor a total price is shown.

Discounts will be allowed for payment as follows: 0 % calendar days: 0 % calendar days.

Discounts will not be considered in determining the low bidder.

Bidder

By (Signature)

Address

Title



Local Agency Proposal Bid Bond

Route Various
County Schuyler
Local Agency Schuyler County ETSB
Section 911 Signs

RETURN WITH BID

PAPER BID BOND

WE _____ as PRINCIPAL,
and _____ as SURETY,

are held jointly, severally and firmly bound unto the above Local Agency (hereafter referred to as "LA") in the penal sum of 5% of the total bid price, or for the amount specified in the proposal documents in effect on the date of invitation for bids whichever is the lesser sum. We bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly pay to the LA this sum under the conditions of this instrument.

WHEREAS THE CONDITION OF THE FOREGOING OBLIGATION IS SUCH that, the said PRINCIPAL is submitting a written proposal to the LA acting through its awarding authority for the construction of the work designated as the above section.

THEREFORE if the proposal is accepted and a contract awarded to the PRINCIPAL by the LA for the above designated section and the PRINCIPAL shall within fifteen (15) days after award enter into a formal contract, furnish surety guaranteeing the faithful performance of the work, and furnish evidence of the required insurance coverage, all as provided in the "Standard Specifications for Road and Bridge Construction" and applicable Supplemental Specifications, then this obligation shall become void; otherwise it shall remain in full force and effect.

IN THE EVENT the LA determines the PRINCIPAL has failed to enter into a formal contract in compliance with any requirements set forth in the preceding paragraph, then the LA acting through its awarding authority shall immediately be entitled to recover the full penal sum set out above, together with all court costs, all attorney fees, and any other expense of recovery.

IN TESTIMONY WHEREOF, the said PRINCIPAL and the said SURETY have caused this instrument to be signed by their respective officers this _____ day of _____

Principal

_____(Company Name) _____(Company Name)
By: _____(Signature and Title) By: _____(Signature and Title)

(If PRINCIPLE is a joint venture of two or more contractors, the company names, and authorized signatures of each contractor must be affixed.)

Surety

_____(Name of Surety) By: _____(Signature of Attorney-in-Fact)

STATE OF ILLINOIS,
COUNTY OF _____

I, _____, a Notary Public in and for said county,
do hereby certify that _____

(Insert names of individuals signing on behalf of PRINCIPAL & SURETY)

who are each personally known to me to be the same persons whose names are subscribed to the foregoing instrument on behalf of PRINCIPAL and SURETY, appeared before me this day in person and acknowledged respectively, that they signed and delivered said instruments as their free and voluntary act for the uses and purposes therein set forth.

Given under my hand and notarial seal this _____ day of _____

My commission expires _____ (Notary Public)

ELECTRONIC BID BOND

[] Electronic bid bond is allowed (box must be checked by LA if electronic bid bond is allowed)

The Principal may submit an electronic bid bond, in lieu of completing the above section of the Proposal Bid Bond Form. By providing an electronic bid bond ID code and signing below, the Principal is ensuring the identified electronic bid bond has been executed and the Principal and Surety are firmly bound unto the LA under the conditions of the bid bond as shown above. (If PRINCIPAL is a joint venture of two or more contractors, an electronic bid bond ID code, company/Bidder name title and date must be affixed for each contractor in the venture.)

Electronic Bid Bond ID Code (grid)

Electronic Bid Bond ID Code

_____(Company/Bidder Name)

_____(Signature and Title)

_____(Date)



**Material Proposal
Schedule of Prices**

Group No.	Items	Delivery	Unit	Quantity	Unit Price	Total
1	RURAL REFERENCE SIGNS	9" X VARIOUS	EACH	2580.00		
	9" SINGLE FACED PLATE					
	TELESPAR PUNCHED HOLES					
	WHITE/GREEN					
	FOB DESTINATION					
	(SEE ATTACHED "SIGN LIST					
	TOTALS")					
1	HHCS, 3/8" X 3" GRADE 2 ZINC BOLT		EACH	2800.00		
1	LNNI 3/8" LOCK NUT		EACH	2800.00		
1	FW 3/8" ZINC FLAT WASHER		EACH	2800.00		
1	FW 3/8" NYLON WASHER		EACH	5600.00		
1	SPACER, PVC 1/2" X 1-3/4"		EACH	2800.00		
1	#34 RIVET, CHERRY MATE BALM		EACH	2800.00		
			TOTAL GROUP #1 =			
2	10 FT POST, 12 GA., 2 IN SQUARE	10 FT	EACH	700		
2	3 FT POST, 12 GA., 2.25 IN SQUARE	3 FT	EACH	700		
	FOB DESTINATION		TOTAL GROUP #2 =			
			TOTAL BID =			
			(GROUPS 1 & 2)			
	<u>DESTINATION (GROUP 1 & 2)</u>					
	SCHUYLER COUNTY HWY. DEPT.					
	121 HENNINGER DRIVE					
	RUSHVILLE, IL. 62681					

The undersigned firm certifies that it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois, nor has the firm made an admission of guilt of such conduct which is a matter of record, nor has an official, agent or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm. The undersigned firm further certifies that it is not barred from contracting with any unit of State or local government as a result of a violation of State laws prohibiting bid-rigging or bid rotating.

Signature of Bidder

Address

Sign List Totals	
Access Rd	4
Acheson Rd	6
Ackers Ln	2
Adams Line Rd	8
Adams Rd	34
Adrian Ln	2
Alters Ln	2
Applegate Rd	4
April Ln	2
Armel Ln	2
Aten Ln	2
Augusta Rd	12
Autumn Ln	4
Avery Rd	6
Ayers Slough Rd	4
B Center Rd	12
B Sargent Ln	2
Bader Rd	22
Baker Ln	2
Baldner Ln	2
Barnes Rd	4
Bartlett Rd	4
Bartlow Rd	6
Bauer Branch Rd	12
Baxter Rd	8
Beam Rd	6
Beardstown Rd	28
Bedenbender Rd	6
Bell Hill Ln	4
Betheny Cemetery Ln	4
Big Rock Rd	10
Billingsley Hill Rd	4
Birmingham Rd	22
Blackburn Ln	4
Bluewing Rd	4
Bluff Rd	14
Bobcat Ln	2
Bollinger Ln	2
Bomer Ln	2
Boston Ln	2

Bottom Rd	4
Boyd Ln	2
Briggs Bottom Ln	2
Briggs Ln	4
Briney Hill Rd	4
Briney Ln	2
Brock Rd	6
Brough Ln	2
Brown Line Rd	2
Browning	2
Burshy Rd	4
Burgard Ln	2
Burns Rd	4
Burnside Ln	2
Busby Ln	2
Cable Ln	4
Cain Ln	2
Caldwell Ln	2
Camden Rd	52
Camp Creek Rd	8
Campbell Ln	2
Carty Rd	4
Cattle Barn Rd	8
Cemetery Rd	2
Center Rd	10
Center Ridge Rd	18
Chapman Rd	4
Christian Neck Rd	10
Clark Rd	4
Clayton Ln	2
Clepper Crossing Rd	6
Clinton St	2
Columbia St	2
Congress St	4
Conway Rd	4
Cooper Ln	2
Corinth Church Ln	2
Corrie Ln	2
Cottonwood Rd	4
County Farm Rd	16
Cox Dr	2

Cox Hollow Rd	10
Cox Ln	2
Crane Rd	8
Crawford Ln	2
Crop St	6
Crowder Ln	2
Croxton Rd	6
Curry Chapel Rd	6
D Camp Rd	4
D Roberts Ln	2
Dale Ln	2
Daly Ln	4
Dean Rd	4
Deer Meadow Dr	2
Deer Run Rd	14
Devils Backbone Rd	4
Doddsville Rd	18
Douglas Ln	2
Douglas St	4
Downing Rd	2
Downs Ln	2
Downs Smith Ln	2
Drainage Rd	10
Drawve Rd	4
Dutchmans Creek Rd	4
Earth Rd	4
Eaton Rd	2
Ebbert Ln	2
Edwards Ln	2
Elevator Rd	6
Elm Creek Rd	2
Ester Ln	2
Fairfield Rd	14
Fairview Rd	10
Farwell Rd	4
Ferndale Ln	2
Fetch Rd	4
Fisk Ln	6
Flat Rd	6
Flatiron Rd	6
Flatwoods Rd	12

Flower Creek Rd	4
Forsythe Rd	4
Fourth PM Rd	4
Fowler Rd	6
Frakes Ln	2
Freeman Rd	8
Friddle Branch Rd	6
Fulks Ln	2
Garrison Rd	6
Geiman Rd	6
Gill Ln	2
Gillette Cemetery Rd	4
Gillette Rd	8
Goldsborough Ln	2
Grandtower Rd	14
Grates Ln	2
Greenleaf Ln	2
Greenwell Mill Rd	10
Guinea Rd	12
Haber Ln	4
Hale Ridge Rd	6
Hall Rd	22
Hamms Harbor Rd	2
Hampton Ln	2
Hancock Line Rd	4
Haney Ln	2
Hanning Rd	4
Harris Branch Rd	12
Harrison Branch Rd	6
Hatfield Rd	10
Hawkeye Rd	14
Hearny Ln	2
Heaton Ln	2
Hell Ridge Rd	6
Hendricks Rd	6
Henninger Dr	2
Henninger Spur	2
Hess Ln	4
Hickory Rd	4
Hickory School Rd	6
High Chaparral Ln	2

High Prairie Rd	6
Highland Rd	8
Hill Ln	2
Hillcrest Ln	4
Hillyer Ln	2
Hodges Ln	2
Hoelscher Rd	4
Hollinghead Ln	2
Hollow Rd	10
Honey Ln	2
Horseshoe Bend Ln	4
Houston Ln	2
Huey Rd	4
Huffman Ln	10
Huntsville Rd	18
IL Rte 100	48
IL Rte 101	58
IL Rte 103	18
IL Rte 99	24
Inaccessible Ln	2
Independence Hall Rd	8
Indian Reservation Rd	2
J Sargent Ln	2
Jefferson St	12
Jersey St	10
Johnson Ln	2
Jones Ln	2
Jordan Rd	8
Kalebaugh Rd	6
Kelly Ln	2
Kentucky Ln	6
Kentucky St	4
Kerker Ln	2
Kerr Ln	2
Kettering Ln	2
Kinderhook Rd	24
King Rd	4
Klitz Ln	2
Kost Rd	4
Krauss Ln	4
La Prairie Rd	22

La Grange Lock Rd	18
Lakeview Dr	6
Landing Rd	4
Lanford Ln	2
Lantz Rd	6
Lawler Ln	2
Lawson Rd	4
Lawyer Rd	6
Leverton Ln	2
Liberty Rd	6
Liberty St	16
Littleton Rd	8
Log Cabin Rd	6
Logsdon Slough Rd	4
Lone Ln	4
Lone Rock Rd	10
Lonesome Valley Rd	4
Lost Ln	2
Lynn Cemetery Rd	2
Lynn St	8
Main St	14
Main Street Erwin	2
Malcomson Rd	4
Market St	2
Marlow Ln	2
Mayer Ln	2
McDonough Line Rd	16
McIlhenny Rd	4
McKinsey Ln	2
Meadowlark Dr	6
Meadowlark Rd	6
Messerer Ln	2
Mill Ln	4
Mill St	2
Mindale Rd	12
Missouri Creek Rd	8
Moore Chapel Rd	6
Moore Ln	2
Morgan Ln	2
Morrell Ln	4
Morris Rd	4

Mourning Ln	2
Mt Zion Rd	4
Mulberry St	6
Muley Rd	6
Murk Ln	2
Nelson Ln	2
North Avenue	2
North St	8
Nubbin Ridge Rd	12
Oakland Rd	8
Oakwood Ln	4
Old Airport Rd	16
Old Barnes Ln	2
Old Macomb Rd	4
Olive Branch Rd	4
Open Arms Rd	4
Paisley Ln	2
Palm Cemetery Rd	14
Parkview Rd	6
Pate Ln	2
Patterson Ln	2
Pea Ridge Rd	8
Peabody One Rd	10
Peabody Two Rd	4
Peaceful Ln	2
Peck Rd	4
Pershing Cemetery Ln	2
Pfeifer Rd	4
Phillips Dr	2
Pine Grove Rd	4
Pipeline Rd	6
Pleasant Main St	6
Pleasant Rd	14
Pleasant Ridge Rd	2
Pleasant School Rd	6
Pleasant View Rd	4
Pokeberry Rd	10
Ponderosa Rd	6
Post Rd	12
Powell Ln	2
Prairie Rd	4

Prather Cemetery Ln	2
Pulaski Cemetery Rd	4
Pumphouse Rd	6
Quarry Rd	6
R King Ln	2
Rabbit Run Rd	4
Railroad St	2
Rang Ln	2
Rattlesnake Rd	10
Ray Rd	8
Rebman Ln	2
Red Oak Dr	2
Reed Ln	2
Reservoir Rd	4
Rich Branch Rd	4
Richie Branch Rd	8
Ridgeville Rd	8
Rigsbee Ln	2
Ringenberg Ln	2
Rining Ln	2
Rittenhouse Ln	2
River Farm Rd	2
RL Spur	2
Roberts Ln	2
Robertson Dr	2
Rock Ln	2
Rock Quarry Rd	4
Rodewald Dr	2
Roper Ln	2
Ross Rd	6
Round Prairie Rd	4
Round Top Rd	6
Ruth Rd	4
Ryan Branch Rd	8
Salem Rd	4
Salrin Spur	4
Sand Ridge Rd	8
Sandy Bend Rd	12
Sapp Rd	4
Sayers Ln	2
Schafer Ln	2

Schenk Ln	2
Schoonover Ln	2
Schuck Ln	2
Schuman Rd	10
Schuy Rush Park Rd	2
Schuyler County	48
Scotts Mill Rd	10
Scripps Ln	2
Second St	2
Serrott Ln	2
Seventh St	2
Shaw Dr	2
Sheldons Grove Rd	4
Shelts Ln	2
Shiloh Church Rd	6
Shiloh Rd	6
Shortcut Rd	2
Simpson Ln	2
Skiles Ln	2
Sloan Ln	2
Smedly Rd	4
Smith Ln	2
Snakeden Branch Rd	6
Snyder Rd	10
South Fork Ln	2
Spillers Ln	2
Spring Creek Rd	12
Stambaugh Ln	2
Standard Ln	2
State St	4
Stave Mill Rd	4
Stoneking Church Ln	2
Stony Branch Rd	6
Stringtown Rd	4
Sugar Creek Rd	14
Sugar Grove Rd	32
Sullivan Dr	2
Swearinger Ln	2
Swinford Ln	2
Switzer Ln	2
T Miller Ln	2

Talbert Rd	4
Taylor Ln	2
Taylor Rd	6
Teel Rd	14
Teel Spur	2
Terry Ln	2
Terwilliger Ln	2
Thompson Cemetery Ln	2
Timewell Rd	14
Toland Spur	2
Tomlinson Dr	6
Tower Rd	12
Town Branch Rd	8
Travis Ln	2
Triple M Ln	6
Tucker Ln	4
Tunnel Rd	4
Turtlelake Rd	4
Unger Dr	2
Union Rd	14
Upper Shiloh Rd	4
Urven Rd	4
US Rte 24	60
US Rte 67	64
Utter Ln	4
Van Brooker Ln	2
Vancil Rd	6
Vaughn Ln	2
Venters Ln	2
Vermont Rd	46
Waddell Rd	6
Walker Rd	6
Walnut St	4
Walton Ln	2
Ward Kennedy Ln	4
Ward Rd	8
Wardell Rd	4
Washington School Rd	12
Washington St	6
Water Reservoir Rd	8
Watkins Ln	2

West Union Rd	2
Western Rd	2
White Frame Rd	12
White Oak Cemetery Rd	14
White Oak Rd	2
Wildcat Ln	2
Wilhelm Ln	2
Williams Creek Rd	6
Willow Branch Ln	2
Wilson Creek Rd	4
Woodland Rd	6
Woodstock Rd	6
Young Ln	2
Zeeck Ln	2
TOTAL	2580

INDEX
FOR
SUPPLEMENTAL SPECIFICATIONS
AND RECURRING SPECIAL PROVISIONS

Adopted January 1, 2015

This index contains a listing of SUPPLEMENTAL SPECIFICATIONS, frequently used RECURRING SPECIAL PROVISIONS, and LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS.

ERRATA Standard Specifications for Road and Bridge Construction
(Adopted 1-1-12) (Revised 1-1-15)

SUPPLEMENTAL SPECIFICATIONS

<u>Std. Spec. Sec.</u>		<u>Page No.</u>
101	Definition of Terms	1
102	Advertisement, Bidding, Award, and Contract Execution	2
105	Control of Work	3
106	Control of Materials	5
107	Legal Regulations and Responsibility to Public	6
108	Prosecution and Progress	14
109	Measurement and Payment	15
202	Earth and Rock Excavation	17
211	Topsoil and Compost	19
250	Seeding	20
253	Planting Woody Plants	21
280	Temporary Erosion and Sediment Control	23
312	Stabilized Subbase	24
406	Hot-Mix Asphalt Binder and Surface Course	25
407	Hot-Mix Asphalt Pavement (Full-Depth)	28
420	Portland Cement Concrete Pavement	32
424	Portland Cement Concrete Sidewalk	34
440	Removal of Existing Pavement and Appurtenances	35
502	Excavation for Structures	36
503	Concrete Structures	37
504	Precast Concrete Structures	40
506	Cleaning and Painting New Steel Structures	41
512	Piling	42
516	Drilled Shafts	43
521	Bearings	44
540	Box Culverts	45
588	Bridge Relief Joint System	46
589	Elastic Joint Sealer	48
602	Catch Basin, Manhole, Inlet, Drainage Structure, and Valve Vault Construction, Adjustment, and Reconstruction	49
603	Adjusting Frames and Grates of Drainage and Utility Structures	50
606	Concrete Gutter, Curb, Median, and Paved Ditch	52
610	Shoulder Inlets with Curb	53
639	Precast Prestressed Concrete Sight Screen	54
642	Shoulder Rumble Strips	55

643	Impact Attenuators	56
644	High Tension Cable Median Barrier	58
669	Removal and Disposal of Regulated Substances	60
670	Engineer's Field Office and Laboratory	64
701	Work Zone Traffic Control and Protection	65
706	Impact Attenuators, Temporary	68
707	Movable Traffic Barrier	71
708	Temporary Water Filled Barrier	73
730	Wood Sign Support	75
780	Pavement Striping	76
816	Unit Duct	81
836	Pole Foundation	82
860	Master Controller	83
1001	Cement	84
1003	Fine Aggregates	85
1004	Coarse Aggregates	87
1006	Metals	91
1011	Mineral Filler	93
1017	Packaged, Dry, Combined Materials for Mortar	94
1018	Packaged Rapid Hardening Mortar or Concrete	95
1019	Controlled Low-Strength Material (CLSM).....	96
1020	Portland Cement Concrete	97
1024	Grout and Nonshrink Grout	136
1030	Hot-Mix Asphalt	137
1040	Drain Pipe, Tile, Drainage Mat, and Wall Drain	142
1042	Precast Concrete Products	143
1069	Pole and Tower	144
1070	Foundation and Breakaway Devices	145
1073	Controller	146
1081	Materials for Planting	147
1082	Preformed Bearing Pads	148
1083	Elastomeric Bearings	149
1088	Wireway and Conduit System	150
1095	Pavement Markings	152
1101	General Equipment	155
1102	Hot-Mix Asphalt Equipment	157
1103	Portland Cement Concrete Equipment	159
1105	Pavement Marking Equipment	160
1106	Work Zone Traffic Control Devices	161

RECURRING SPECIAL PROVISIONS

The following RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

<u>CHECK SHEET #</u>	<u>PAGE NO.</u>
1	Additional State Requirements for Federal-Aid Construction Contracts 163
2	Subletting of Contracts (Federal-Aid Contracts) 166
3	EEO 167
4	Specific EEO Responsibilities Non Federal-Aid Contracts 177
5	Required Provisions - State Contracts 182
6	Asbestos Bearing Pad Removal 188
7	Asbestos Waterproofing Membrane and Asbestos HMA Surface Removal 189
8	Temporary Stream Crossings and In-Stream Work Pads 190
9	Construction Layout Stakes Except for Bridges 191
10	Construction Layout Stakes 194
11	Use of Geotextile Fabric for Railroad Crossing 197
12	Subsealing of Concrete Pavements 199
13	Hot-Mix Asphalt Surface Correction 203
14	Pavement and Shoulder Resurfacing 205
15	Reserved 206
16	Patching with Hot-Mix Asphalt Overlay Removal 207
17	Polymer Concrete 208
18	PVC Pipeliner 210
19	Pipe Underdrains 211
20	Guardrail and Barrier Wall Delineation 212
21	Bicycle Racks 216
22	Reserved 218
23	Temporary Portable Bridge Traffic Signals 219
24	Work Zone Public Information Signs 221
25	Nighttime Inspection of Roadway Lighting 222
26	English Substitution of Metric Bolts 223
27	English Substitution of Metric Reinforcement Bars 224
28	Calcium Chloride Accelerator for Portland Cement Concrete 225
29	Reserved 226
30	Quality Control of Concrete Mixtures at the Plant 227
31	Quality Control/Quality Assurance of Concrete Mixtures 235
32	Digital Terrain Modeling for Earthwork Calculations 251
33	Pavement Marking Removal 253
34	Preventive Maintenance – Bituminous Surface Treatment 254
35	Preventive Maintenance – Cape Seal 260
36	Preventive Maintenance – Micro-Surfacing 275
37	Preventive Maintenance – Slurry Seal 286
38	Temporary Raised Pavement Markers 296
39	Restoring Bridge Approach Pavements Using High-Density Foam 297

LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS

Table of Contents

<u>CHECK SHEET #</u>		<u>PAGE NO.</u>
LRS1	Reserved	301
LRS2	Furnished Excavation	302
LRS3	Work Zone Traffic Control Surveillance	303
LRS4	Flaggers in Work Zones	304
LRS5	Contract Claims	305
LRS6	Bidding Requirements and Conditions for Contract Proposals	306
LRS7	Bidding Requirements and Conditions for Material Proposals	312
LRS8	Reserved	318
LRS9	Bituminous Surface Treatments	319
LRS10	Reserved	320
LRS11	Employment Practices	321
LRS12	Wages of Employees on Public Works	323
LRS13	Selection of Labor	325
LRS14	Paving Brick and Concrete Paver Pavements and Sidewalks	326
LRS15	Partial Payments	329
LRS16	Protests on Local Lettings	330
LRS17	Substance Abuse Prevention Program	331
LRS18	Multigrade Cold Mix Asphalt	332

CHECK SHEET
FOR
RECURRING SPECIAL PROVISIONS

Adopted January 1, 2015

The following RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

<u>CHECK SHEET #</u>	<u>RECURRING SPECIAL PROVISIONS</u>	<u>PAGE NO.</u>
1	<input type="checkbox"/> Additional State Requirements for Federal-Aid Construction Contracts	163
2	<input type="checkbox"/> Subletting of Contracts (Federal-Aid Contracts)	166
3	<input type="checkbox"/> EEO	167
4	<input type="checkbox"/> Specific EEO Responsibilities Non Federal-Aid Contracts	177
5	<input type="checkbox"/> Required Provisions - State Contracts	182
6	<input type="checkbox"/> Asbestos Bearing Pad Removal	188
7	<input type="checkbox"/> Asbestos Waterproofing Membrane and Asbestos Hot-Mix Asphalt Surface Removal	189
8	<input type="checkbox"/> Temporary Stream Crossings and In-Stream Work Pads	190
9	<input type="checkbox"/> Construction Layout Stakes Except for Bridges	191
10	<input type="checkbox"/> Construction Layout Stakes	194
11	<input type="checkbox"/> Use of Geotextile Fabric for Railroad Crossing	197
12	<input type="checkbox"/> Subsealing of Concrete Pavements	199
13	<input type="checkbox"/> Hot-Mix Asphalt Surface Correction	203
14	<input type="checkbox"/> Pavement and Shoulder Resurfacing	205
15	Reserved	206
16	<input type="checkbox"/> Patching with Hot-Mix Asphalt Overlay Removal	207
17	<input type="checkbox"/> Polymer Concrete	208
18	<input type="checkbox"/> PVC Pipeliner	210
19	<input type="checkbox"/> Pipe Underdrains	211
20	<input type="checkbox"/> Guardrail and Barrier Wall Delineation	212
21	<input type="checkbox"/> Bicycle Racks	216
22	Reserved	218
23	<input type="checkbox"/> Temporary Portable Bridge Traffic Signals	219
24	<input type="checkbox"/> Work Zone Public Information Signs	221
25	<input type="checkbox"/> Nighttime Inspection of Roadway Lighting	222
26	<input type="checkbox"/> English Substitution of Metric Bolts	223
27	<input type="checkbox"/> English Substitution of Metric Reinforcement Bars	224
28	<input type="checkbox"/> Calcium Chloride Accelerator for Portland Cement Concrete	225
29	Reserved	226
30	<input type="checkbox"/> Quality Control of Concrete Mixtures at the Plant	227
31	<input type="checkbox"/> Quality Control/Quality Assurance of Concrete Mixtures	235
32	<input type="checkbox"/> Digital Terrain Modeling for Earthwork Calculations	251
33	<input type="checkbox"/> Pavement Marking Removal	253
34	<input type="checkbox"/> Preventive Maintenance – Bituminous Surface Treatment	254
35	<input type="checkbox"/> Preventive Maintenance – Cape Seal	260
36	<input type="checkbox"/> Preventive Maintenance – Micro-Surfacing	275
37	<input type="checkbox"/> Preventive Maintenance – Slurry Seal	286
38	<input type="checkbox"/> Temporary Raised Pavement Markers	296
39	<input type="checkbox"/> Restoring Bridge Approach Pavements Using High-Density Foam	297

CHECK SHEET
FOR
LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS

Adopted January 1, 2015

The following LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:


LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS

<u>CHECK SHEET #</u>	<u>PAGE NO.</u>
LRS 1	Reserved..... 301
LRS 2	<input type="checkbox"/> Furnished Excavation 302
LRS 3	<input type="checkbox"/> Work Zone Traffic Control Surveillance 303
LRS 4	<input type="checkbox"/> Flaggers in Work Zones 304
LRS 5	<input type="checkbox"/> Contract Claims 305
LRS 6	<input type="checkbox"/> Bidding Requirements and Conditions for Contract Proposals 306
LRS 7	<input type="checkbox"/> Bidding Requirements and Conditions for Material Proposals 312
LRS 8	Reserved..... 318
LRS 9	<input type="checkbox"/> Bituminous Surface Treatments 319
LRS 10	Reserved..... 320
LRS 11	<input type="checkbox"/> Employment Practices 321
LRS 12	<input type="checkbox"/> Wages of Employees on Public Works 323
LRS 13	<input type="checkbox"/> Selection of Labor 325
LRS 14	<input type="checkbox"/> Paving Brick and Concrete Paver Pavements and Sidewalks 326
LRS 15	<input type="checkbox"/> Partial Payments 329
LRS 16	<input type="checkbox"/> Protests on Local Lettings 330
LRS 17	<input type="checkbox"/> Substance Abuse Prevention Program 331
LRS 18	<input type="checkbox"/> Multigrade Cold Mix Asphalt 332



Illinois Department of Transportation

Memorandum

To: All Regional Engineers
From: Omer M. Osman, P.E. 
Subject: Special Provision for Retroreflective Sheeting for Highway Signs
Date: July 25, 2014

This special provision was developed by the Bureau of Materials and Physical Research and Bureau of Operations to update the requirements for the coefficient of retroreflection to allow averaging of the 0 degree and 90 degree rotational angles. This follows the industry standard and the ASTM E 810 test method. This allows multiple manufacturers to meet each of the sheeting specifications and makes Type ZZ sheeting eligible for Federal funding.

This special provision should be inserted into all contracts having retroreflective sheeting on highway signs.

The districts should include the BDE Check Sheet marked with the applicable special provisions for the November 7, 2014 and subsequent lettings. The Project Development and Implementation Section will include a copy in the contract.

This special provision will be available on the transfer directory July 25, 2014.

80350m

RETROREFLECTIVE SHEETING FOR HIGHWAY SIGNS (BDE)

Effective: November 1, 2014

Revise the first sentence of the first paragraph of Article 1091.03(a)(3) of the Standard Specifications to read:

“When tested according to ASTM E 810, with averaging, the sheeting shall have a minimum coefficient of retroreflection as show in the following tables.”

Replace the Tables for Type AA sheeting, Type AP sheeting, Type AZ sheeting and Type ZZ sheeting in Article 1091.03(a)(3) with the following.

Type AA Sheeting
Minimum Coefficient of Retroreflection
Candelas/foot candle/sq ft (candelas/lux/sq m) of material

Type AA (Average of 0 and 90 degree rotation)

Observation Angle (deg.)	Entrance Angle (deg.)	White	Yellow	Red	Green	Blue	FO
0.2	-4	800	600	120	80	40	200
0.2	+30	400	300	60	35	20	100
0.5	-4	200	150	30	20	10	75
0.5	+30	100	75	15	10	5	35

Type AA (45 degree rotation)

Observation Angle (deg.)	Entrance Angle (deg.)	Yellow	FO
0.2	-4	500	165
0.2	+30	115	40
0.5	-4	140	65
0.5	+30	60	30

Type AP Sheeting
Minimum Coefficient of Retroreflection
Candelas/foot candle/sq ft (candelas/lux/sq m) of material

Type AP (Average of 0 and 90 degree rotation)

Observation Angle (deg.)	Entrance Angle (deg.)	White	Yellow	Red	Green	Blue	Brown	FO
0.2	-4	500	380	75	55	35	25	150
0.2	+30	180	135	30	20	15	10	55
0.5	-4	300	225	50	30	20	15	90
0.5	+30	90	70	15	10	7.5	5	30

Type AZ Sheeting
Minimum Coefficient of Retroreflection
Candelas/foot candle/sq ft (candelas/lux/sq m) of material

Type AZ (Average of 0 and 90 degree rotation)

Observation Angle (deg.)	Entrance Angle (deg.)	White	Yellow	Red	Green	Blue	FYG	FY
0.2	-4	375	280	75	45	25	300	230
0.2	+30	235	170	40	25	15	190	150
0.5	-4	245	180	50	30	20	200	155
0.5	+30	135	100	25	15	10	100	75
1.0	-4	50	37.5	8.5	5	2	45	25
1.0	+30	22.5	20	5	3	1	25	12.5

Type ZZ Sheeting
Minimum Coefficient of Retroreflection
Candelas/foot candle/sq ft (candelas/lux/sq m) of material

Type ZZ (Average of 0 and 90 degree rotation)

Observation Angle (deg.)	Entrance Angle (deg.)	White	Yellow	Red	Green	Blue	FYG	FY	FO
0.2	-4	570	425	90	60	30	460	340	170
0.2	+30	190	140	35	20	10	150	110	65
0.5	-4	400	300	60	40	20	320	240	120
0.5	+30	130	95	20	15	7	100	80	45
1.0	-4	115	90	17	12	5	95	70	35
1.0	+30	45	35	7	5	2	35	25	15

State of Illinois
Department of Transportation
Bureau of Local Roads and Streets

SPECIAL PROVISION
FOR
CONTRACT CLAIMS

Effective: January 1, 2002

Revised: January 1, 2007

Revise the second sentence of subparagraph (a) of Article 109.09 of the Standard Specifications to read:

"All claims shall be submitted to the Engineer."

Revise subparagraph (e) of Article 109.09 of the Standard Specifications to read:

"(e) Procedure. All Claims shall be submitted to the Engineer. The Engineer will consider all information submitted with the claim. Claims not conforming to this Article will be returned without consideration. The Engineer may schedule a claim presentation meeting if, in the Engineer's judgement, such a meeting would aid in resolution of the claim, otherwise a decision will be based on the claim documentation submitted. A final decision will be rendered within 90 days of receipt of the claim.

Full compliance by the Contractor with the provisions specified in this Article is a contractual condition precedent to the Contractor's right to seek relief in the Court of Claims. The Engineer's written decision shall be the final administrative action of the Department. Unless the Contractor files a claim for adjudication by the Court of Claims within 60 days after the date of the written decision, the failure to file shall constitute a release and waiver of the claim."

CHECK SHEET #LRS7

State of Illinois
Department of Transportation
Bureau of Local Roads and Streets

SPECIAL PROVISION FOR BIDDING REQUIREMENTS AND CONDITIONS FOR MATERIAL PROPOSALS

Effective: January 1, 2002

Revised: January 1, 2013

Replace Article 102.01 of the Standard Specifications with the following:

“Prequalification of Bidders. When prequalification is required and the awarding authority for contract construction work is the County Board of a County, the Council, the City Council, or the President and Board of Trustees of a city, village, or town, each prospective bidder, in evidence of competence, shall furnish the awarding authority as a prerequisite to the release of proposal forms by the awarding authority, a certified or photostatic copy of a "Certificate of Eligibility" issued by the Department of Transportation, in accordance with the Department's "Prequalification Manual".

The two low bidders must file, within 24 hours after the letting, a sworn affidavit in triplicate, showing all uncompleted contracts awarded to them and all low bids pending award for Federal, State, County, Municipal and private work, using the blank form made available for this affidavit. One copy shall be filed with the awarding authority and two copies with the District office.

Issuance of Proposal Forms. The Awarding Authority reserves the right to refuse to issue a proposal form for bidding purposes for any of the following reasons:

- (a) Lack of competency and adequate machinery, plant, and other equipment, as revealed by the financial statement and experience questionnaires required in prequalification procedures.
- (b) Uncompleted work which, in the judgement of the Awarding Authority, might hinder or prevent the prompt completion of additional work awarded.
- (c) False information provided on a bidder's "Affidavit of Availability".
- (d) Failure to pay, or satisfactorily settle, all bills due for labor and material on former contracts in force at the time of issuance of proposal forms.
- (e) Failure to comply with any prequalification regulations of the Department.
- (f) Default under previous contracts.
- (g) Unsatisfactory performance record as shown by past work for the Awarding Authority, judged from the standpoint of workmanship and progress.
- (h) When the Contractor is suspended from eligibility to bid at a public letting where the contract is awarded by, or requires approval of, the Department.

- (i) When any agent, servant, or employee of the prospective bidder currently serves as a member, employee, or agent of a governmental body that is financially involved in the proposal work.
- (j) When any agent, servant, or employee of the perspective bidder has participated in the preparation of plans or specifications for the proposed work.

Interpretation of Quantities in the Bid Schedule. The quantities appearing in the bid schedule are approximate and are prepared for the comparison of bids. Payment to the Contractor will be made only for the actual quantities of work performed and accepted or materials furnished according to the contract. The scheduled quantities of work to be done and materials to be furnished may be increased, decreased or omitted as hereinafter provided.

Examination of Material Proposal, Specifications, Special Provisions, and Site of Work. The bidder shall, before submitting a bid, carefully examine the provisions of the proposal. The bidder shall inspect in detail the site of the proposed work, investigate and become familiar with all the local conditions affecting the work and fully acquaint themselves with the detailed requirements of the work. Submission of a bid shall be a conclusive assurance and warranty the bidder has made these examinations and the bidder understands all requirements for the performance of the work. If his/her bid is accepted, the bidder will be responsible for all errors in the proposal resulting from his/her failure or neglect to comply with these instructions. The Awarding Authority will, in no case, be responsible for any costs, expenses, losses, or change in anticipated profits resulting from such failure or neglect of the bidder to make these examinations.

The bidder shall take no advantage of any error or omission in the proposal. Any prospective bidder who desires an explanation or interpretation of the specification, or any of the documents, shall request such in writing from the Awarding Authority, in sufficient time to allow a written reply by the Awarding Authority that can reach all prospective bidders before the submission of their bids. Any reply given a prospective bidder concerning any of the documents and specifications will be furnished to all prospective bidders in the form determined by the Awarding Authority including, but not limited to, an addendum, if the information is deemed by the Awarding Authority to be necessary in submitting bids or if the Awarding Authority concludes the information would aid competition. Oral explanations, interpretations or instructions given before the submission of bids unless at a prebid conference will not be binding on the Awarding Authority.

Preparation of the Proposal. Bidders shall submit their proposals on the form furnished by the Awarding Authority. The proposal shall be executed properly, and bids shall be made for all items indicated in the proposal form, except when alternate bids are asked, a bid on more than one alternate for each item is not required, unless otherwise provided. The bidder shall indicate in figures, a unit price for each of the separate items called for in the proposal form; the bidder shall show the products of the respective quantities and unit prices in the column provided for that purpose, and the gross sum shown in the place indicated in the proposal form shall be the summation of said products. All writing shall be with ink or typewriter, except the signature of the bidder which shall be written in ink.

CHECK SHEET #LRS7

When prequalification is required, the proposal form shall be submitted by an authorized bidder in the same name and style as shown on the "Contractor's Statement of Experience and Financial Condition" used for prequalification and shall be submitted in like manner.

Rejection of Proposals. The Awarding Authority reserves the right to reject any proposal for any of the conditions in "Issuance of Proposal Forms" or for any of the following reasons:

- (a) More than one proposal for the same work from an individual, firm, partnership, or corporation under the same name or different names.
- (b) Evidence of collusion among bidders.
- (c) Unbalanced proposals in which the bid prices for some items are, in the judgement of the Awarding Authority, out of proportion to the bid prices for other items.
- (d) If the proposal does not contain a unit price for each pay item listed, except in the case of authorized alternate pay items or lump sum pay items.
- (e) If the proposal form is other than that furnished by the Awarding Authority; or if the form is altered or any part thereof is detached.
- (f) If there are omissions, erasures, alterations, unauthorized additions, conditional or alternate bids, or irregularities of any kind which may tend to make the proposal incomplete, indefinite or ambiguous as to its meaning.
- (g) If the bidder adds any provisions reserving the right to accept or reject an award, or to enter into a contract pursuant to an award.
- (i) If the proposal is not accompanied by the proper proposal guaranty.
- (i) If the proposal is prepared with other than ink or typewriter, or otherwise fails to meet the requirements of the above "Preparation of Proposal" section.

Proposal Guaranty. Each proposal shall be accompanied by a bid bond on the Department form contained in the proposal, executed by a corporate surety company satisfactory to the Awarding Authority, by a bank cashier's check or a properly certified check for not less than five percent of the amount bid, or for the amount specified in the following schedule:

	Amount Bid	Proposal Guaranty
Up to	\$5,000	\$150
>\$5,000	\$10,000	\$300
>\$10,000	\$50,000	\$1,000
>\$50,000	\$100,000	\$3,000
>\$100,000	\$150,000	\$5,000
>\$150,000	\$250,000	\$7,500
>\$250,000	\$500,000	\$12,500
>\$500,000	\$1,000,000	\$25,000

CHECK SHEET #LRS7

<u>Amount Bid</u>	<u>Proposal Guaranty</u>
>\$1,000,000	\$50,000
>\$1,500,000	\$75,000
>\$2,000,000	\$100,000
>\$3,000,000	\$150,000
>\$5,000,000	\$250,000
>\$7,500,000	\$400,000
>\$10,000,000	\$500,000
>\$15,000,000	\$600,000
>\$20,000,000	\$700,000
>\$25,000,000	\$800,000
>\$30,000,000	\$900,000
Over	\$1,000,000

In the event that one proposal guaranty check is intended to cover two or more proposals, the amount must equal to the sum of the proposal guaranties which would be required for each individual proposal.

Bank cashier's checks or properly certified checks accompanying proposals shall be made payable to the County Treasurer, when a County is the awarding authority; or the City, Village, or Town Treasurer, when a city, village, or town is the awarding authority.

If this proposal contains various groups and the bidder has the option of bidding on one or several groups, the bidder may provide a separate proposal guaranty for each group or combination of groups in lieu of a single proposal guaranty to cover the amount bid for the entire proposal. Each proposal guaranty shall identify the groups covered by the individual proposal guaranty. In the event that one proposal guaranty check is intended to cover two or more groups, the amount must be equal to the sum of the proposal guaranties which would be required for each individual group.

The proposal guaranty checks of all, except the two lowest responsible, will be returned promptly after the proposals have been checked, tabulated, and the relation of the proposals established. Proposal guaranty checks of the two lowest bidders will be returned as soon as the contract and contract bond of the successful bidder have been properly executed and approved. If a contract bond is not required, the proposal guaranty check will be held in lieu thereof. Bid bonds will not be returned.

The awarding authority may deny the use of a bid bond as a proposal guaranty but may not further restrict the proposal guaranty. The Notice of Material Letting will state whether a bid bond is allowed.

Delivery of Proposals. If a special envelope is supplied by the Awarding Authority, each proposal should be submitted in that envelope furnished by the Awarding Authority and the blank spaces on the envelope shall be filled in correctly to clearly indicate its contents. When an envelope other than the special one furnished by the Awarding Authority is used, it shall be marked to clearly indicate its contents. When sent by mail, the sealed proposal shall be addressed to the Awarding Authority at the address and in care of the official in whose office the bids are to be received. All proposals shall be filed prior to the time and at the place specified in the Notice to Bidders. Proposals received after the time specified will be returned to the bidder unopened.

CHECK SHEET #LRS7

Withdrawal of Proposals. Permission will be given a bidder to withdraw a proposal if the bidder makes the request in writing or in person before the time for opening proposals.

Public Opening of Proposals. Proposals will be opened and read publicly at the time and place specified in the Notice to Bidders. Bidders, their authorized agents and other interested parties are invited to be present.

Consideration of Proposals. After the proposals are opened and read, they will be compared on the basis of the summation of the products of the quantities shown in the bid schedule by the unit bid prices. In the event of a discrepancy between unit bid prices and extensions, the unit bid price shall govern. In awarding the supply of materials, the Awarding Authority will, in addition to considering the amounts stated in the proposals, take into consideration the responsibility of the various bidders as determined from a study of the data required under "Prequalification of Bidders", and from other investigations which it may elect to make.

The right is reserved to reject any or all proposals, to waive technicalities or to advertise for new proposals, if in the judgement of the Awarding Authority, the best interests of the Awarding Authority will be promoted thereby.

Acceptance of Proposal to Furnish Material. The award will be made within 45 calendar days after the opening of proposals to the lowest responsible and qualified bidder whose proposal complies with all the requirements prescribed. The successful bidder will be notified by letter of intent that his/her bid has been accepted, and subject to the following conditions, the bidder will be the Contractor or Supplier.

An acceptance of proposal to furnish materials executed by the Awarding Authority is required before the Awarding Authority is bound. An award may be cancelled any time by the Awarding Authority prior to execution in order to protect the public interest and integrity of the bidding process or for any other reason if, in the judgement of the Awarding Authority, the best interests of the Awarding Authority will be promoted thereby.

If a material proposal is not awarded within 45 days after the opening of proposals, bidders may file a written request with the Awarding Authority for the withdrawal of their bid, and the Awarding Authority will permit such withdrawal.

Requirement of Contract Bond. If the Awarding Authority requires a Contract Bond, the Contractor or Supplier shall furnish the Awarding Authority a performance and payment bond with good and sufficient sureties in the full amount of the award as the penal sum. The surety shall be acceptable to the Awarding Authority, shall waive notice of any changes and extensions of time, and shall submit its bond on the form furnished by the Awarding Authority.

The contract bond shall be returned within 15 days after the notice of award. Failure of the successful bidder to execute and file acceptable bonds within 15 days after the notice of award has been mailed to the bidder shall be just cause for the cancellation of the award and the forfeiture of the proposal guaranty which shall become the property of the Awarding Authority, not as penalty, but in liquidation of

damages sustained. Award may then be made to the next lowest responsible bidder, or the work may be readvertised, or otherwise, as the Awarding Authority may decide.

If the bidder to whom the award is made is a corporation organized under the laws of a State other than Illinois, the bidder shall furnish the Awarding Authority a copy of the corporation's Certificate of Authority to do business in the State of Illinois with the return of the contract bond. Failure to furnish such evidence of a Certificate of Authority within the time required will be considered as just cause for the annulment of the award and the forfeiture of the proposal guaranty to the Awarding Authority, not as a penalty, but in payment of liquidated damages sustained as a result of such failure.

Failure to Execute the Acceptance of Proposal to Furnish Material. If the acceptance of proposal to furnish material is not executed by the Awarding Authority within 15 days following receipt from the bidder of the properly executed bonds, the bidder shall have the right to withdraw his/her bid without penalty.”

The following Special Provisions supplement the “Standard Specifications for Road and Bridge Construction”, Adopted January 1, 2012, the latest edition of the “Manual on Uniform Traffic Control Devices for Streets and Highways”, and the “Manual of Test Procedures of Materials” in effect on the date of invitation of bids, and the Supplemental Specifications and Recurring Special Provisions indicated on the Check Sheet included here in which apply to and govern the construction of Schuyler County ETSB, 911 Sign Project, and in case of conflict with any part, or parts, of said Specifications, the said Special Provisions shall take precedence and shall govern.

DESCRIPTION OF BIDDER: This project shall consist of furnishing various rural reference signs, along with steel post and appurtenance hardware for the Schuyler County, Illinois ETSB.

COMPETENCY OF BIDDER: No Proposal will be accepted from, or contract awarded to, any person, firm or corporation that in arrears or is in default to Schuyler County ETSB, or any political corporations within Schuyler County, upon debt to contract, or that is a defaulter, as surety or otherwise, upon any obligation to Schuyler County ETSB, or any political corporation with Schuyler County ETSB, or has failed to perform faithfully any previous contract. In addition, the Schuyler County ETSB reserves the right to reject any bid from any person, firm, or corporation whom the Schuyler County ETSB determines lacks the technical or appropriate experience to fulfill the contract.

BIDDING INSTRUCTIONS: Suppliers are reminded that bid prices shall be per sign, post, and hardware item including the shipping cost by F.O.B. to the appropriate Group 1 or Group 2 locations. Group 1 and Group 2 will be awarded separately. A sizing of each plate shall be included with the bid and is mandatory to attach. Two proofs shall be supplied with the bid for the sign layout, one each of “Heaton Ln” and “Clepper Crossing Rd”.

MATERIAL: All parts or materials must be of current date and meet all specifications, this provision excludes surplus, remanufactured and used products except at alternate bid or as called for in the specifications. The Schuyler County ETSB shall have the right to inspect any material, components, equipment, supplies, services or completed work specified herein. Any item not complying with these specifications are subject to rejection at the option of the County Engineer based on any defects which may include burs, warps, dents or any other defects from fabrication. Any rejected items shall be removed from the premises of the Schuyler County Highway Department and/or replaced at the expense of the bidder. All signs are to be made of .080 gauge aluminum with 3M Intensity Prismatic Sheeting. Plates shall have a 3M type protective overlay film that is part of the 3M Matched Component System. Mounting of signs will be to Telespar posts. Punching of each plate will have 2 center holes of 7/16” and 2 end holes 5/16” - 1/2” from both ends of the signs. Plates shall have 1 1/2” radius corners. Maximum length of any plate shall be 48 inches.

SIGN FACE: All sign faces shall conform to the latest edition of the manuals as mentioned above. All items bid shall meet the specifications for reflective sheeting as shown in the latest edition of the “Illinois Standard Specifications for Road and Bridge Construction, Section 1091”. Specifically all sign faces shall meet the special provision supplement “Supplemental Specifications and Recurring Special Provisions” adopted January 1, 2012 Illinois Department of Transportation with strict adherence to Section 1091. The type of sheeting used on each sign shall be Type AP. Letters shall be Upper/lower case “C” series Highway Gothic Letters all to be 6” Main and 3” suffix. Plates will be single sided, white legend on green background with a 3/8” white margin. The white margin shall have white lettering within the 3/8” margin in the bottom right hand corner with the following: “Schuyler County 2015”.

GUARANTEES AND WARRANTIES: All guarantees and warranties required or proposed shall be furnished by the bidder and delivered to the Schuyler County ETSB before final payment is issued. In addition, the bid proposal must specifically state the term and nature of any guarantee and/or warranty.

Special Provisions

Anchors:

Tolerances on outside sizes:

Nominal Outside Dimensions – Anchors 2” x 2”

Outside Tolerances at All Sides at Corners - ± 0.008 ”

Note: Measurements from outside dimensions shall be made at least 2 inches from the end of the tube.

Wall Thickness Tolerances:

Permissible variation in wall thickness is ± 0.008 ”

Convexity and Concavity:

Measured in the center of the flat sides, tolerance in ± 0.010 ”, determined at the corner.

Squareness of Sides and Twist:

Nominal Outside Dimensions – Post 2” x 2”

Squareness Tolerance - ± 0.014 ”

Twist Permissible in 3’ Length – 0.062”

Note: A sample shall be considered to fail if its sides are not 90 degrees to each other within the Squareness tolerance listed above.

Straightness Tolerance:

Permissible variation in Straightness is 1/16 of an inch in 3 feet.

Corner Radii:

Standard outside corner radius shall be 5/32 of an inch $\pm 1/64$ inch.

Square Post:

Telescoping Properties: The finished posts shall be straight and have a smooth, uniform finish. It shall be possible to telescope all consecutive sizes of post freely and for at least 10 ft. of the specified length without the necessity of matching any particular face to any other face. All holes and ends shall be free from burrs and ends shall be cut square.

Tolerances on outside sizes:

Nominal Outside Dimensions – 1.75” x 1.75”

Outside Tolerances at All Sides at Corners - ± 0.008 ”

Note: Measurements from outside dimensions shall be made at least 2 inches from the end of the tube.

Wall Thickness Tolerances:

Permissible variation in wall thickness is ± 0.008 ”

Convexity and Concavity:

Measured in the center of the flat sides, tolerance in ± 0.010 ”, determined at the corner.

Squareness of Sides and Twist:

Nominal Outside Dimensions – Post 1.75” x 1.75”

Squareness Tolerance - ± 0.012 ”

Twist Permissible in 3’ Length – 0.062”

Note: A sample shall be considered to fail if its sides are not 90 degrees to each other within the Squareness tolerance listed above.

Straightness Tolerance:

Permissible variation in Straightness is 1/16 of an inch in 3 feet.

Corner Radii:

Standard outside corner radius shall be 5/32 of an inch $\pm 1/64$ inch